Printing date 06.11.2020 Version number 2 Revision: 06.11.2020

SECTION 1: Identification of the substance/mixture and of the company/undertaking

· 1.1 Product identifier

Trade name: Dioxal 50

- · UFI: 6X50-90MS-K00X-GX7K
- · 1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available.
- · Application of the substance / the mixture Disinfectant
- · 1.3 Details of the supplier of the safety data sheet

· Manufacturer/Supplier:

BWT Holding GmbH

Walter-Simmer-Straße 4

A - 5310 Mondsee

AUSTRIA

Tel.: +43/6232/5011-0 Fax: +43/6232/4058 email: office@bwt.at

· Further information obtainable from:

Abteilung F&E - Chemikalienbeauftragte(r)

Tel.: +43/6232/5011-1893 +43/6232/5011-1427

email: msds-info@bwt-group.com

· 1.4 Emergency telephone number:

Vergiftungsinformation Wien Tel.: +43/1-406 43 43

161.. 143/1-400 43 43

SECTION 2: Hazards identification

- · 2.1 Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008



GHS03 flame over circle

Ox. Sol. 2 H272 May intensify fire; oxidiser.



GHS08 health hazard

STOT RE 2 H373 May cause damage to the spleen through prolonged or repeated exposure.



GHS05 corrosion

Skin Corr. 1A H314 Causes severe skin burns and eye damage.

Eye Dam. 1 H318 Causes serious eye damage.



Acute Tox. 4 H302 Harmful if swallowed.

Acute Tox. 4 H312 Harmful in contact with skin.

- · 2.2 Label elements
- · Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

(Contd. on page 2)

Printing date 06.11.2020 Version number 2 Revision: 06.11.2020

Trade name: Dioxal 50

· Hazard pictograms

(Contd. of page 1)









GHS05 GHS07

· Signal word Danger

· Hazard-determining components of labelling:

sodium chlorite

· Hazard statements

H272 May intensify fire; oxidiser.

H302+H312 Harmful if swallowed or in contact with skin. H314 Causes severe skin burns and eye damage.

H373 May cause damage to the spleen through prolonged or repeated exposure.

· Precautionary statements

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No

smoking.

P221 Take any precaution to avoid mixing with combustibles. P270 Do not eat, drink or smoke when using this product.

P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing

protection.

P301+P330+P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with

water [or shower].

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P310 Immediately call a POISON CENTER/doctor.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P405 Store locked up.

· Additional information:

EUH032 Contact with acids liberates very toxic gas.

EUH071 Corrosive to the respiratory tract.

- · 2.3 Other hazards
- · Results of PBT and vPvB assessment
- · **PBT**: Not applicable.
- · vPvB: Not applicable.

SECTION 3: Composition/information on ingredients

- · 3.2 Chemical characterisation: Mixtures
- · **Description**: Mixture of substances listed below with nonhazardous additions.

	· Dangerous components:				
	CAS: 7758-19-2	sodium chlorite	10-25%		
	EINECS: 231-836-6	② Ox. Sol. 2, H272			
		Acute Tox. 3, H301; Acute Tox. 2, H310			
		♦ STOT RE 2, H373			
		🔖 Skin Corr. 1A, H314			
		🔖 Aquatic Acute 1, H400			
		Aquatic Chronic 3, H412			

· Additional information: For the wording of the listed hazard phrases refer to section 16.

Printing date 06.11.2020 Version number 2 Revision: 06.11.2020

Trade name: Dioxal 50

(Contd. of page 2)

SECTION 4: First aid measures

- · 4.1 Description of first aid measures
- · General information:

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

Immediately remove any clothing soiled by the product.

· After inhalation:

Supply fresh air.

Call a doctor immediately.

· After skin contact:

Immediately rinse with water.

If skin irritation continues, consult a doctor.

- · After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- · After swallowing:

Rinse out mouth and then drink plenty of water.

Call for a doctor immediately.

- 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.
- · 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
- · Suitable extinguishing agents:

CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- $\cdot \textit{For safety reasons unsuitable extinguishing agents: } Water \textit{ with full jet}$
- · 5.2 Special hazards arising from the substance or mixture

In case of fire, the following can be released:

Chlorine gas

- · 5.3 Advice for firefighters
- · Protective equipment: Mouth respiratory protective device.

SECTION 6: Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures Wear protective clothing.
- · 6.2 Environmental precautions:

Do not allow to enter sewers/ surface or ground water.

Inform respective authorities in case of seepage into water course or sewage system.

· 6.3 Methods and material for containment and cleaning up:

Pick up mechanically.

Dispose contaminated material as waste according to item 13.

· 6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

· 7.1 Precautions for safe handling

Keep receptacles tightly sealed.

Open and handle receptacle with care.

Prevent formation of dust.

· Information about fire - and explosion protection: Protect from heat.

(Contd. on page 4)

Printing date 06.11.2020 Version number 2 Revision: 06.11.2020

Trade name: Dioxal 50

(Contd. of page 3)

- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles:

Store only in the original receptacle.

Store in a cool location.

· Information about storage in one common storage facility:

Store away from reducing agents.

Store away from flammable substances.

Do not store together with acids.

- · Further information about storage conditions: Store in dry conditions.
- · Storage class: 5.1B
- \cdot 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

- · Additional information about design of technical facilities: No further data; see item 7.
- · 8.1 Control parameters
- · Ingredients with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

- · Additional information: The lists valid during the making were used as basis.
- · 8.2 Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Avoid contact with the eyes.

· Protection of hands:



Protective gloves

· Material of gloves

PVC gloves

Nitrile rubber, NBR

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection:



Tightly sealed goggles

· Body protection: Protective work clothing

CD

Printing date 06.11.2020 Version number 2 Revision: 06.11.2020

Trade name: Dioxal 50

(Contd. of page 4)

SECTION 9: Physical and chemic	cal properties
9.1 Information on basic physical and ch	nemical properties
General Information	
Appearance:	Powder
Form: Colour:	White
Odour:	Odourless
Odour threshold:	Not determined.
pH-value (10 g/l) at 20 °C:	10.1
Change in condition	
Melting point/freezing point:	Undetermined.
Initial boiling point and boiling range:	•
Flash point:	Not applicable.
Flammability (solid, gas):	Not determined.
Decomposition temperature:	Not determined.
Auto-ignition temperature:	Product is not selfigniting.
Explosive properties:	Product does not present an explosion hazard.
Explosion limits:	
Lower:	Not determined.
Upper:	Not determined.
Vapour pressure:	Not applicable.
Density at 20 °C:	1110 kg/m³ (Schüttgewicht)
Relative density	Not determined.
Vapour density	Not applicable.
Evaporation rate	Not applicable.
Solubility in / Miscibility with	
water at 20 °C:	370 g/l
Partition coefficient: n-octanol/water:	Not determined.
Viscosity:	
Dynamic:	Not applicable.
Kinematic:	Not applicable.
Solvent content:	
Organic solvents:	0.0 %
Solids content:	100.0 %
9.2 Other information	No further relevant information available.

SECTION 10: Stability and reactivity

- · 10.1 Reactivity No further relevant information available.
- · 10.3 Possibility of hazardous reactions

Reacts with flammable substances.

Reacts with acids.

Reacts with oxidising agents.

Reacts with organic substances.

Reacts with reducing agents.

- · 10.4 Conditions to avoid Moisture
- $\cdot \textbf{ 10.5 Incompatible materials:} \ \textit{No further relevant information available}.$

(Contd. on page 6)

Printing date 06.11.2020 Version number 2 Revision: 06.11.2020

Trade name: Dioxal 50

(Contd. of page 5)

· 10.6 Hazardous decomposition products: No dangerous decomposition products known.

SECTION 11: Toxicological information

- · 11.1 Information on toxicological effects
- · Acute toxicity

Harmful if swallowed or in contact with skin.

· LD/LC50 values relevant for classification:

7758-19-2 sodium chlorite

Oral LD50 284 mg/kg (rat)
Dermal LD50 134 mg/kg (rabbit)

- · Primary irritant effect:
- · Skin corrosion/irritation

Causes severe skin burns and eye damage.

· Serious eye damage/irritation

Causes serious eye damage.

- · Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- · CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity Based on available data, the classification criteria are not met.
- · STOT-single exposure Based on available data, the classification criteria are not met.
- · STOT-repeated exposure
- May cause damage to the spleen through prolonged or repeated exposure.
- · Aspiration hazard Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

- · 12.1 Toxicity
- $\cdot \textit{\textbf{Aquatic toxicity:}} \ \textit{No further relevant information available}.$
- · 12.2 Persistence and degradability No further relevant information available.
- $\cdot \textbf{12.3 Bioaccumulative potential} \ \textit{No further relevant information available}.$
- · 12.4 Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:

Water hazard class 2 (German Regulation) (Self-assessment): hazardous for water

Do not allow product to reach ground water, water course or sewage system.

Danger to drinking water if even small quantities leak into the ground.

- · 12.5 Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.
- · 12.6 Other adverse effects No further relevant information available.

SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
- · Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

· European waste catalogue

16 09 04* oxidising substances, not otherwise specified

- · Uncleaned packaging:
- **Recommendation:** Disposal must be made according to official regulations.

(Contd. on page 7)

Printing date 06.11.2020 Version number 2 Revision: 06.11.2020

Trade name: Dioxal 50

(Contd. of page 6)

 $\cdot \textit{Recommended cleansing agents:} \ \textit{Water, if necessary together with cleansing agents.}$

14.1 UN-Number	
ADR, IMDG, IATA	UN1496
14.2 UN proper shipping name	
ADR	1496 SODIUM CHLORITE
IMDG, IATA	SODIUM CHLORITE
14.3 Transport hazard class(es)	
ADR, IMDG, IATA	
55	
Class Label	5.1 Oxidising substances. 5.1
14.4 Packing group	
ADR, IMDĞ, İATÂ	II
14.5 Environmental hazards:	
Marine pollutant:	No
14.6 Special precautions for user	Warning: Oxidising substances.
Hazard identification number (Kemler code):	50
EMS Number:	F-H,S-Q
Segregation groups	Chlorites
Stowage Category	A
Segregation Code	SG38 Stow "separated from" SGG2-ammonium
	compounds. SG49 Stow "separated from" SGG6-cyanides
14.7 Transport in bulk according to Annex II	
Marpol and the IBC Code	Not applicable.
Transport/Additional information:	
ADR	
Limited quantities (LQ)	1 kg
Excepted quantities (EQ)	Code: E2
	Maximum net quantity per inner packaging: 30 g
m	Maximum net quantity per outer packaging: 500 g
Transport category	2 E
Tunnel restriction code	<i>E</i>
IMDG	1 kg
Limited quantities (LQ) Excepted quantities (EQ)	1 kg Code: E2
rxcentea auanuues (r.O)	Maximum net quantity per inner packaging: 30 g
zuceprou 4s (zg)	
	Maximum net quantity per outer packaging: 500 g

Printing date 06.11.2020 Version number 2 Revision: 06.11.2020

Trade name: Dioxal 50

(Contd. of page 7)

l

SECTION 15: Regulatory information

- · 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- · Seveso category P8 OXIDISING LIQUIDS AND SOLIDS
- · Qualifying quantity (tonnes) for the application of lower-tier requirements 50 t
- · Qualifying quantity (tonnes) for the application of upper-tier requirements 200 t
- · DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment Annex II

None of the ingredients is listed.

· 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

H272 May intensify fire; oxidiser.

H301 Toxic if swallowed.

H310 Fatal in contact with skin.

H314 Causes severe skin burns and eye damage.

H373 May cause damage to organs through prolonged or repeated exposure.

H400 Very toxic to aquatic life.

H412 Harmful to aquatic life with long lasting effects.

· Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

Ox. Sol. 2: Oxidizing solids - Category 2

Acute Tox. 3: Acute toxicity - oral - Category 3

Acute Tox. 4: Acute toxicity - oral - Category 4 Acute Tox. 2: Acute toxicity - dermal - Category 2

Skin Corr. 1A: Skin corrosion/irritation – Category 1A

Eye Dam. 1: Serious eye damage/eye irritation – Category 1

STOT RE 2: Specific target organ toxicity (repeated exposure) – Category 2

Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard - Category 1

Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard – Category 3

* Data compared to the previous version altered.

GB