

Sicherheitsdatenblatt
gemäß 1907/2006/EG, Artikel 31

Printing date 08.05.2023

Version number 3 (replaces version 2)

Revision: 08.05.2023

SECTION 1: Identification of the substance/mixture and of the company/undertaking

- **1.1 Product identifier**
- **Trade name:** **Benamin Quick Granulat**
- **CAS Number:**
51580-86-0
- **Index number:**
613-030-01-7
- **Registration number** 01-2119489371-33-xxxx
- **UFI:** FNA0-40KM-F005-VQ94
- **1.2 Relevant identified uses of the substance or mixture and uses advised against -**
- **Application of the substance / the mixture** Water disinfectant
- **1.3 Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**
BWT Holding GmbH
Walter-Simmer-Straße 4
A - 5310 Mondsee
AUSTRIA
Tel.: +43/6232/5011-0
Fax: +43/6232/4058
email: office@bwt.at
- **Further information obtainable from:**
Abteilung F&E - Chemikalienbeauftragte(r)
Tel.: +43/6232/5011-1893
+43/6232/5011-1427
e-mail: msds-info@bwt-group.com
- **1.4 Emergency telephone number:**
Poison center Vienna
Tel.: +43/1-406 43 43

SECTION 2: Hazards identification

- **2.1 Classification of the substance or mixture**
- **Classification according to Regulation (EC) No 1272/2008**



GHS09 environment

Aquatic Acute 1 H400 Very toxic to aquatic life.

Aquatic Chronic 1 H410 Very toxic to aquatic life with long lasting effects.



GHS07

Acute Tox. 4 H302 Harmful if swallowed.

Eye Irrit. 2 H319 Causes serious eye irritation.

STOT SE 3 H335 May cause respiratory irritation.

- **2.2 Label elements**
- **Labelling according to Regulation (EC) No 1272/2008**
The substance is classified and labelled according to the CLP regulation.
- **Hazard pictograms**



GHS07



GHS09

(Contd. on page 2)

DE/EN

Sicherheitsdatenblatt

gemäß 1907/2006/EG, Artikel 31

Printing date 08.05.2023

Version number 3 (replaces version 2)

Revision: 08.05.2023

Trade name: Benamin Quick Granulat

(Contd. of page 1)

· **Signal word** Warning

· **Hazard-determining components of labelling:**

troclosene sodium, dihydrate

· **Hazard statements**

H302 Harmful if swallowed.

H319 Causes serious eye irritation.

H335 May cause respiratory irritation.

H410 Very toxic to aquatic life with long lasting effects.

· **Precautionary statements**

P102 Keep out of reach of children.

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

P264 Wash hands thoroughly after handling.

P270 Do not eat, drink or smoke when using this product.

P273 Avoid release to the environment.

P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.

P301+P312 IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell.

P330 Rinse mouth.

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P337+P313 If eye irritation persists: Get medical advice/attention.

P391 Collect spillage.

P403+P233 Store in a well-ventilated place. Keep container tightly closed.

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

· **Additional information:**

EUH031 Contact with acids liberates toxic gas.

Contains biocidal products: troclosene sodium, dihydrate

· **2.3 Other hazards**

· **Results of PBT and vPvB assessment**

· **PBT:** According to the results of its assessment, this substance is not a PBT substance.

· **vPvB:** According to the results of its evaluation, this substance is neither a vPvB substance.

SECTION 3: Composition/information on ingredients

· **3.1 Substance**

· **CAS No. Description**

CAS: 51580-86-0 troclosene sodium, dihydrate

· **Identification number(s)**

· **EC number:** 220-767-7

· **Index number:** 613-030-01-7

· **M-factor**

Aquatic Acute: 1

Aquatic Chronic: 1

SECTION 4: First aid measures

· **4.1 Description of first aid measures**

· **General information:**

Take affected persons out of danger area and lay down.

Do not leave affected persons unattended.

Keep warm, position comfortably and cover well.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

(Contd. on page 3)

Sicherheitsdatenblatt gemäß 1907/2006/EG, Artikel 31

Printing date 08.05.2023

Version number 3 (replaces version 2)

Revision: 08.05.2023

Trade name: Benamin Quick Granulat

(Contd. of page 2)

- **After inhalation:** Do not use mouth to mouth or mouth to nose resuscitation.
- **After skin contact:** Generally the product does not irritate the skin.
- **After eye contact:**
Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- **After swallowing:**
Rinse out mouth and then drink plenty of water.
Call for a doctor immediately.
- **4.2 Most important symptoms and effects, both acute and delayed** No further relevant information available.
- **4.3 Indication of any immediate medical attention and special treatment needed**
No further relevant information available.

SECTION 5: Firefighting measures

- **5.1 Extinguishing media**
- **Suitable extinguishing agents:**
ABC powder
Foam
Alcohol resistant foam
Water
Use fire extinguishing methods suitable to surrounding conditions.
- **5.2 Special hazards arising from the substance or mixture**
Carbon monoxide (CO)
Carbon dioxide (CO₂)
Nitrogen oxides (NO_x)
Hydrogen chloride (HCl)
Chlorine (g)
- **5.3 Advice for firefighters**
- **Protective equipment:** Mouth respiratory protective device.
- **Additional information**
Collect contaminated fire fighting water separately. It must not enter the sewage system.

SECTION 6: Accidental release measures

- **6.1 Personal precautions, protective equipment and emergency procedures**
Avoid formation of dust.
Keep away from ignition sources.
Ensure adequate ventilation
Mount respiratory protective device.
- **6.2 Environmental precautions:**
Do not allow product to reach sewage system or any water course.
Inform respective authorities in case of seepage into water course or sewage system.
Do not allow to enter sewers/ surface or ground water.
- **6.3 Methods and material for containment and cleaning up:**
Dispose contaminated material as waste according to section 13.
Ensure adequate ventilation.
- **6.4 Reference to other sections**
See Section 7 for information on safe handling.
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.

*

SECTION 7: Handling and storage

- **7.1 Precautions for safe handling**
Store in cool, dry place in tightly closed receptacles.
Keep away from heat and direct sunlight.

(Contd. on page 4)

DE/EN

Sicherheitsdatenblatt
gemäß 1907/2006/EG, Artikel 31

Printing date 08.05.2023

Version number 3 (replaces version 2)

Revision: 08.05.2023

Trade name: Benamin Quick Granulat

(Contd. of page 3)

- Ensure good ventilation/exhaustion at the workplace.
- **Information about fire - and explosion protection:** The product is not flammable.
- **7.2 Conditions for safe storage, including any incompatibilities**
- **Storage:**
- **Requirements to be met by storerooms and receptacles:** Store only in the original receptacle.
- **Information about storage in one common storage facility:**
- Store away from reducing agents.
- Store away from foodstuffs.
- Do not store together with acids.
- **Further information about storage conditions:** Keep container tightly sealed.
- **Storage class:** 11
- **7.3 Specific end use(s)** No further relevant information available.

SECTION 8: Exposure controls/personal protection

- **8.1 Control parameters**
- **Ingredients with limit values that require monitoring at the workplace:** Not required.
- **Additional information:** The lists valid during the making were used as basis.
- **8.2 Exposure controls**
- **Appropriate engineering controls** No further data; see section 7.
- **Individual protection measures, such as personal protective equipment**
- **General protective and hygienic measures:**
- Keep away from foodstuffs, beverages and feed.
- Immediately remove all soiled and contaminated clothing
- Wash hands before breaks and at the end of work.
- Avoid contact with the eyes.
- Avoid contact with the eyes and skin.
- **Respiratory protection:**
- Filter P2
- In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.
- **Hand protection**



Protective gloves

- The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.
- Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.
- Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation
- **Material of gloves**
- Synthetic rubber gloves
- PVC gloves
- The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.
- **Penetration time of glove material**
- The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

(Contd. on page 5)

DE/EN

Sicherheitsdatenblatt
gemäß 1907/2006/EG, Artikel 31

Printing date 08.05.2023

Version number 3 (replaces version 2)

Revision: 08.05.2023

Trade name: **Benamin Quick Granulat**

(Contd. of page 4)

· Eye/face protection



Tightly sealed goggles

SECTION 9: Physical and chemical properties

· **9.1 Information on basic physical and chemical properties**

· **General Information**

· Physical state	Solid
· Colour:	White
· Odour:	Like chlorine
· Odour threshold:	Not determined.
· Melting point/freezing point:	250 °C
· Boiling point or initial boiling point and boiling range	Undetermined.
· Flammability	Product is not flammable.
· Lower and upper explosion limit	
· Lower:	Not determined.
· Upper:	Not determined.
· Flash point:	Not applicable.
· Auto-ignition temperature:	250 °C
· Decomposition temperature:	Not determined.
· pH	6
· Viscosity:	
· Kinematic viscosity	Not applicable.
· Dynamic:	Not applicable.
· Solubility	
· water at 25 °C:	250 g/l
· Partition coefficient n-octanol/water (log value)	Not determined.
· Vapour pressure:	Not applicable.
· Density and/or relative density	
· Density:	Not determined.
· Relative density	Not determined.
· Bulk density:	1.000 kg/m ³
· Vapour density	Not applicable.
· Particle characteristics	See section 3.

· **9.2 Other information**

· Appearance:	
· Form:	Granulate
· Important information on protection of health and environment, and on safety.	
· Ignition temperature:	Not determined.
· Explosive properties:	Product does not present an explosion hazard.
· Solids content:	100,0 %
· Molecular weight	255,98 g/mol
· Change in condition	
· Evaporation rate	Not applicable.

· **Information with regard to physical hazard classes**

· Explosives	Void
· Flammable gases	Void
· Aerosols	Void
· Oxidising gases	Void
· Gases under pressure	Void

(Contd. on page 6)

DE/EN

Sicherheitsdatenblatt
gemäß 1907/2006/EG, Artikel 31

Printing date 08.05.2023

Version number 3 (replaces version 2)

Revision: 08.05.2023

Trade name: Benamin Quick Granulat

(Contd. of page 5)

· Flammable liquids	Void
· Flammable solids	Void
· Self-reactive substances and mixtures	Void
· Pyrophoric liquids	Void
· Pyrophoric solids	Void
· Self-heating substances and mixtures	Void
· Substances and mixtures, which emit flammable gases in contact with water	Void
· Oxidising liquids	Void
· Oxidising solids	Void
· Organic peroxides	Void
· Corrosive to metals	Void
· Desensitised explosives	Void

SECTION 10: Stability and reactivity

- **10.1 Reactivity** No further relevant information available.
- **10.2 Chemical stability**
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **10.3 Possibility of hazardous reactions**
Strong exothermic reaction with acids.
Acts as an oxidising agent on organic materials such as wood, paper and fats.
Contact with acids releases toxic gases.
- **10.4 Conditions to avoid**
Heat exposure
heat exposure
No further relevant information available.
- **10.5 Incompatible materials:** No further relevant information available.
- **10.6 Hazardous decomposition products:** Chlorine

SECTION 11: Toxicological information

- **11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008**
- **Acute toxicity** Harmful if swallowed.

· **LD/LC50 values relevant for classification:**

CAS: 51580-86-0 troclosene sodium, dihydrate

Oral	LD50	500 mg/kg (rat)
------	------	-----------------

- **Skin corrosion/irritation**
Is not to be classified as skin corrosive/irritant.
Based on available data, the classification criteria are not met.
Based on available data, the classification criteria are not met.
- **Serious eye damage/irritation** Causes serious eye irritation.
- **Respiratory or skin sensitisation** Based on available data, the classification criteria are not met.
- **Germ cell mutagenicity** Based on available data, the classification criteria are not met.
- **Carcinogenicity** Based on available data, the classification criteria are not met.
- **Reproductive toxicity** Based on available data, the classification criteria are not met.
- **STOT-single exposure** May cause respiratory irritation.
- **STOT-repeated exposure** Based on available data, the classification criteria are not met.
- **Aspiration hazard** Based on available data, the classification criteria are not met.

(Contd. on page 7)

DE/EN

Sicherheitsdatenblatt gemäß 1907/2006/EG, Artikel 31

Printing date 08.05.2023

Version number 3 (replaces version 2)

Revision: 08.05.2023

Trade name: **Benamin Quick Granulat**

(Contd. of page 6)

· **11.2 Information on other hazards**· **Endocrine disrupting properties**

Substance is not listed.

*

SECTION 12: Ecological information· **12.1 Toxicity**· **Aquatic toxicity:**

According to 1272/2008/EC: Very toxic to aquatic organisms with long lasting effects.

CAS: 51580-86-0 troclosene sodium, dihydrate

EC50 0,17 mg/L (wir)

EC50/72h 2.700 mg/l (algae)

LC50/96h 0,24 mg/l (fish)

· **12.2 Persistence and degradability** No further relevant information available.· **12.3 Bioaccumulative potential** No further relevant information available.· **12.4 Mobility in soil** No further relevant information available.· **12.5 Results of PBT and vPvB assessment**· **PBT:** Not applicable.· **vPvB:** Not applicable.· **12.6 Endocrine disrupting properties**

The product does not contain substances with endocrine disrupting properties.

· **12.7 Other adverse effects**· **Remark:** Very toxic for fish· **Additional ecological information:**· **General notes:**

Water hazard class 2 (German Regulation) (Self-assessment): hazardous for water

Do not allow product to reach ground water, water course or sewage system.

Danger to drinking water if even small quantities leak into the ground.

Also poisonous for fish and plankton in water bodies.

Very toxic for aquatic organisms

SECTION 13: Disposal considerations· **13.1 Waste treatment methods**· **Recommendation**

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

· **European waste catalogue**

07 04 13* solid wastes containing hazardous substances

· **Uncleaned packaging:**· **Recommendation:** Disposal must be made according to official regulations.· **Recommended cleansing agents:** Water, if necessary together with cleansing agents.

*

SECTION 14: Transport information· **14.1 UN number or ID number**· **ADR, IMDG, IATA**

UN3077

· **14.2 UN proper shipping name**· **ADR**3077 ENVIRONMENTALLY HAZARDOUS
SUBSTANCE, SOLID, N.O.S.

(Contd. on page 8)

DE/EN

Sicherheitsdatenblatt
gemäß 1907/2006/EG, Artikel 31

Printing date 08.05.2023

Version number 3 (replaces version 2)

Revision: 08.05.2023

Trade name: **Benamin Quick Granulat**

(Contd. of page 7)

· **IMDG, IATA**ENVIRONMENTALLY HAZARDOUS SUBSTANCE,
SOLID, N.O.S.· **14.3 Transport hazard class(es)**· **ADR, IATA**· **Class**

9 Miscellaneous dangerous substances and articles.

· **Label**

9

· **IMDG**· **Class**

9 Miscellaneous dangerous substances and articles.

· **Label**

9

· **14.4 Packing group**· **ADR, IMDG, IATA**

III

· **14.5 Environmental hazards:**· **Special marking (ADR):**

Symbol (fish and tree)

· **Special marking (IATA):**

Symbol (fish and tree)

· **14.6 Special precautions for user**

Warning: Miscellaneous dangerous substances and articles.

· **Hazard identification number (Kemler code):**

90

· **EMS Number:**

F-A,S-F

· **Stowage Category**

A

· **Stowage Code**

SW23 When transported in BK3 bulk container, see 7.6.2.12 and 7.7.3.9.

· **14.7 Maritime transport in bulk according to IMO instruments**

Not applicable.

· **Transport/Additional information:**· **ADR**· **Limited quantities (LQ)**

5 kg

· **Excepted quantities (EQ)**

Code: E1

Maximum net quantity per inner packaging: 30 g

Maximum net quantity per outer packaging: 1000 g

· **Transport category**

3

· **Tunnel restriction code**

(-)

· **Remarks:**

SV 375

· **IMDG**· **Limited quantities (LQ)**

5 kg

· **Excepted quantities (EQ)**

Code: E1

Maximum net quantity per inner packaging: 30 g

Maximum net quantity per outer packaging: 1000 g

· **UN "Model Regulation":**UN 3077 ENVIRONMENTALLY HAZARDOUS
SUBSTANCE, SOLID, N.O.S. 9, III

DE/EN

(Contd. on page 9)

Sicherheitsdatenblatt

gemäß 1907/2006/EG, Artikel 31

Printing date 08.05.2023

Version number 3 (replaces version 2)

Revision: 08.05.2023

Trade name: Benamin Quick Granulat

(Contd. of page 8)

SECTION 15: Regulatory information

· 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

· Directive 2012/18/EU

· **Named dangerous substances - ANNEX I** Substance is not listed.

· **Seveso category E1** Hazardous to the Aquatic Environment

· **Qualifying quantity (tonnes) for the application of lower-tier requirements** 100 t

· **Qualifying quantity (tonnes) for the application of upper-tier requirements** 200 t

· **DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II**

Substance is not listed.

· REGULATION (EU) 2019/1148

· **Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))**

Substance is not listed.

· Annex II - REPORTABLE EXPLOSIVES PRECURSORS

Substance is not listed.

· Regulation (EC) No 273/2004 on drug precursors

Substance is not listed.

· **Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors**

Substance is not listed.

· National regulations:

· **Waterhazard class:** Water hazard class 2 (Self-assessment): hazardous for water.

· **15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· **Date of previous version:** 10.10.2022

· **Version number of previous version:** 2

· Abbreviations and acronyms:

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

Acute Tox. 4: Acute toxicity – Category 4

Eye Irrit. 2: Serious eye damage/eye irritation – Category 2

STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1

Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard – Category 1

· *** Data compared to the previous version altered.**