

Sicherheitsdatenblatt

gemäß 1907/2006/EG, Artikel 31

Printing date 10.05.2023

Version number 4 (replaces version 3)

Revision: 10.05.2023

SECTION 1: Identification of the substance/mixture and of the company/undertaking

- **1.1 Product identifier**
- **Trade name:** **UO Reiniger Alkalisch**
- **UFI:** 65W0-D0DK-X004-TC59
- **1.2 Relevant identified uses of the substance or mixture and uses advised against -**
- **Application of the substance / the mixture** Cleaning material/ Detergent
- **1.3 Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**
 BWT Holding GmbH
 Walter-Simmer-Straße 4
 A - 5310 Mondsee
 AUSTRIA
 Tel.: +43/6232/5011-0
 Fax: +43/6232/4058
 email: office@bwt.at
- **Further information obtainable from:**
 Abteilung F&E - Chemikalienbeauftragte(r)
 Tel.: +43/6232/5011-1893
 +43/6232/5011-1427
 e-mail: msds-info@bwt-group.com
- **1.4 Emergency telephone number:**
 Poison center Vienna
 Tel.: +43/1-406 43 43

SECTION 2: Hazards identification

- **2.1 Classification of the substance or mixture**
- **Classification according to Regulation (EC) No 1272/2008**



GHS05 corrosion

Met. Corr. 1 H290 May be corrosive to metals.
 Skin Corr. 1A H314 Causes severe skin burns and eye damage.
 Eye Dam. 1 H318 Causes serious eye damage.

- **2.2 Label elements**
- **Labelling according to Regulation (EC) No 1272/2008**
 The product is classified and labelled according to the CLP regulation.
- **Hazard pictograms**



GHS05

- **Signal word** Danger
- **Hazard-determining components of labelling:**
 sodium hydroxide
 sodium dodecylbenzenesulphonate, pure
- **Hazard statements**
 H290 May be corrosive to metals.
 H314 Causes severe skin burns and eye damage.
- **Precautionary statements**
 P234 Keep only in original packaging.
 P260 Do not breathe dusts or mists.
 P264 Wash thoroughly after handling.

(Contd. on page 2)

DE/EN

Sicherheitsdatenblatt

gemäß 1907/2006/EG, Artikel 31

Printing date 10.05.2023

Version number 4 (replaces version 3)

Revision: 10.05.2023

Trade name: UO Reiniger Alkalisch

(Contd. of page 1)

- P280** Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.
- P301+P330+P331** IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
- P303+P361+P353** IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].
- P304+P340** IF INHALED: Remove person to fresh air and keep comfortable for breathing.
- P310** Immediately call a POISON CENTER/doctor.
- P305+P351+P338** IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
- P321** Specific treatment (see on this label).
- P390** Absorb spillage to prevent material damage.
- P405** Store locked up.
- P406** Store in a corrosion resistant container / container with a resistant inner liner.
- P501** Dispose of contents/container in accordance with local/regional/national/international regulations.

· 2.3 Other hazards

· Results of PBT and vPvB assessment

· **PBT:** Not applicable.




· **vPvB:** Not applicable.

SECTION 3: Composition/information on ingredients

· 3.2 Mixtures

· **Description:** Mixture of substances listed below with nonhazardous additions.

· Dangerous components:

CAS: 1310-73-2 EINECS: 215-185-5	sodium hydroxide	10-25%
	 Met. Corr. 1, H290; Skin Corr. 1A, H314 Specific concentration limits: Skin Corr. 1A; H314: $C \geq 5\%$ Skin Corr. 1B; H314: $2\% \leq C < 5\%$ Skin Irrit. 2; H315: $0,5\% \leq C < 2\%$ Eye Irrit. 2; H319: $0,5\% \leq C < 2\%$	
CAS: 25155-30-0 EINECS: 246-680-4	sodium dodecylbenzenesulphonate, pure	≥ 3 -<10%
	 Eye Dam. 1, H318  Acute Tox. 4, H302; Skin Irrit. 2, H315	

· **Additional information:** For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

· 4.1 Description of first aid measures

· **General information:** Immediately remove any clothing soiled by the product.

· After inhalation:

In case of unconsciousness place patient stably in side position for transportation.

Supply fresh air.

· After skin contact:

Wash off immediately with plenty of water for at least 15 minutes.

Seek immediate medical advice.

· **After eye contact:** Rinse opened eye for several minutes under running water. Then consult a doctor.

· After swallowing:

Do not induce vomiting; call for medical help immediately.

Rinse mouth with water (only if casualty is conscious).

· **4.2 Most important symptoms and effects, both acute and delayed** No further relevant information available.

· 4.3 Indication of any immediate medical attention and special treatment needed

Treat symptomatically and supportively.

DE/EN

(Contd. on page 3)

Sicherheitsdatenblatt
gemäß 1907/2006/EG, Artikel 31

Printing date 10.05.2023

Version number 4 (replaces version 3)

Revision: 10.05.2023

Trade name: **UO Reiniger Alkalisch**

(Contd. of page 2)

SECTION 5: Firefighting measures

- **5.1 Extinguishing media**
- **Suitable extinguishing agents:**
CO₂, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- **5.2 Special hazards arising from the substance or mixture**
Sulphur oxides
Possible release of toxic fumes.
Nitrogen oxides (NO_x)
Carbon oxides
- **5.3 Advice for firefighters**
- **Protective equipment:** Mouth respiratory protective device.

SECTION 6: Accidental release measures

- **6.1 Personal precautions, protective equipment and emergency procedures**
Wear protective equipment. Keep unprotected persons away.
- **6.2 Environmental precautions:** Do not allow to enter sewers/ surface or ground water.
- **6.3 Methods and material for containment and cleaning up:**
Use neutralising agent.
Dispose contaminated material as waste according to section 13.
Ensure adequate ventilation.
- **6.4 Reference to other sections**
See Section 7 for information on safe handling.
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.

SECTION 7: Handling and storage

- **7.1 Precautions for safe handling** Thorough dedusting.
- **Information about fire - and explosion protection:** No special measures required.
- **7.2 Conditions for safe storage, including any incompatibilities**
- **Storage:**
- **Requirements to be met by storerooms and receptacles:** No special requirements.
- **Information about storage in one common storage facility:** Not required.
- **Further information about storage conditions:** Keep container tightly sealed.
- **Storage class:** 8 B
- **7.3 Specific end use(s)** No further relevant information available.

SECTION 8: Exposure controls/personal protection

- **8.1 Control parameters**
- **Ingredients with limit values that require monitoring at the workplace:**

CAS: 1310-73-2 sodium hydroxide

MAK (Germany) vgl. Abschn. IIb

- **Additional information:** The lists valid during the making were used as basis.
- **8.2 Exposure controls**
- **Appropriate engineering controls** No further data; see section 7.
- **Individual protection measures, such as personal protective equipment**
- **General protective and hygienic measures:**
Keep away from foodstuffs, beverages and feed.
Immediately remove all soiled and contaminated clothing
Wash hands before breaks and at the end of work.

(Contd. on page 4)

DE/EN

Sicherheitsdatenblatt

gemäß 1907/2006/EG, Artikel 31

Printing date 10.05.2023

Version number 4 (replaces version 3)

Revision: 10.05.2023

Trade name: UO Reiniger Alkalisch

(Contd. of page 3)

Avoid contact with the eyes and skin.

· **Respiratory protection:** Not required.

· **Hand protection**



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· **Material of gloves**

Nitrile rubber, NBR

Butyl rubber, BR

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· **Penetration time of glove material**

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· **Eye/face protection**



Tightly sealed goggles

SECTION 9: Physical and chemical properties

· **9.1 Information on basic physical and chemical properties**

· **General Information**

· **Colour:**

Light yellow

· **Odour:**

Odourless

· **Odour threshold:**

Not determined.

· **Melting point/freezing point:**

Undetermined.

· **Boiling point or initial boiling point and boiling range**

Undetermined.

· **Flammability**

Not determined.

· **Lower and upper explosion limit**

· **Lower:**

Not determined.

· **Upper:**

Not determined.

· **Flash point:**

Not applicable.

· **Decomposition temperature:**

Not determined.

· **pH at 20 °C**

12,4

· **Viscosity:**

· **Kinematic viscosity**

Not applicable.

· **Dynamic:**

Not applicable.

· **Solubility**

· **water:**

Soluble.

· **Partition coefficient n-octanol/water (log value)**

Not determined.

· **Vapour pressure:**

Not applicable.

· **Density and/or relative density**

· **Density at 20 °C:**

1,108 g/cm³

· **Relative density**

Not determined.

· **Vapour density**

Not applicable.

· **Particle characteristics**

See section 3.

(Contd. on page 5)

Sicherheitsdatenblatt
gemäß 1907/2006/EG, Artikel 31

Printing date 10.05.2023

Version number 4 (replaces version 3)

Revision: 10.05.2023

Trade name: UO Reiniger Alkalisch

(Contd. of page 4)

· **9.2 Other information**

· **Appearance:**

· **Form:** Powder

· **Important information on protection of health and environment, and on safety.**

· **Ignition temperature:** Product is not selfigniting.

· **Explosive properties:** Product does not present an explosion hazard.

· **Solvent content:**

· **Organic solvents:** 0,0 %

· **Solids content:** 100,0 %

· **Change in condition**

· **Evaporation rate** Not applicable.

· **Information with regard to physical hazard classes**

· **Explosives** Void

· **Flammable gases** Void

· **Aerosols** Void

· **Oxidising gases** Void

· **Gases under pressure** Void

· **Flammable liquids** Void

· **Flammable solids** Void

· **Self-reactive substances and mixtures** Void

· **Pyrophoric liquids** Void

· **Pyrophoric solids** Void

· **Self-heating substances and mixtures** Void

· **Substances and mixtures, which emit flammable gases in contact with water** Void

· **Oxidising liquids** Void

· **Oxidising solids** Void

· **Organic peroxides** Void

· **Corrosive to metals**

May be corrosive to metals.

· **Desensitised explosives** Void

SECTION 10: Stability and reactivity

· **10.1 Reactivity** No further relevant information available.

· **10.2 Chemical stability** The product is stable under normal storage conditions.

· **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.

· **10.3 Possibility of hazardous reactions** No dangerous reactions known.

· **10.4 Conditions to avoid**

Heat exposure

heat exposure

No further relevant information available.

· **10.5 Incompatible materials:**

Steel

Acids

Aluminium

· **10.6 Hazardous decomposition products:**

Sulphur oxides (SO_x)

Nitrogen oxides (NO_x)

DE/EN

(Contd. on page 6)

Sicherheitsdatenblatt

gemäß 1907/2006/EG, Artikel 31

Printing date 10.05.2023

Version number 4 (replaces version 3)

Revision: 10.05.2023

Trade name: UO Reiniger Alkalisch

(Contd. of page 5)

SECTION 11: Toxicological information

· 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

· **Acute toxicity** Based on available data, the classification criteria are not met.

· LD/LC50 values relevant for classification:

CAS: 1310-73-2 sodium hydroxide

Oral	LD50	2.000 mg/kg (rat)
------	------	-------------------

· **Skin corrosion/irritation**

Causes severe skin burns and eye damage.

· **Serious eye damage/irritation**

Causes serious eye damage.

· **Respiratory or skin sensitisation** Based on available data, the classification criteria are not met.

· **Germ cell mutagenicity** Based on available data, the classification criteria are not met.

· **Carcinogenicity** Based on available data, the classification criteria are not met.

· **Reproductive toxicity** Based on available data, the classification criteria are not met.

· **STOT-single exposure** Based on available data, the classification criteria are not met.

· **STOT-repeated exposure** Based on available data, the classification criteria are not met.

· **Aspiration hazard** Based on available data, the classification criteria are not met.

· 11.2 Information on other hazards

· **Endocrine disrupting properties**

None of the ingredients is listed.

SECTION 12: Ecological information

· 12.1 Toxicity

· **Aquatic toxicity:**

CAS: 1310-73-2 sodium hydroxide

LC50 / 48h	133-189 mg/l (fish)
------------	---------------------

EC50	>100 mg/L (daphnia)
------	---------------------

LC50/96h	99 mg/l (fish)
----------	----------------

· **12.2 Persistence and degradability** No further relevant information available.

· **12.3 Bioaccumulative potential** No further relevant information available.

· **12.4 Mobility in soil** No further relevant information available.

· **12.5 Results of PBT and vPvB assessment**

· **PBT:** Not applicable.

· **vPvB:** Not applicable.

· **12.6 Endocrine disrupting properties**

The product does not contain substances with endocrine disrupting properties.

· **12.7 Other adverse effects**

· **Additional ecological information:**

· **General notes:**

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

Must not reach sewage water or drainage ditch undiluted or unneutralised.

Rinse off of bigger amounts into drains or the aquatic environment may lead to increased pH-values. A high pH-value harms aquatic organisms. In the dilution of the use-level the pH-value is considerably reduced, so that after the use of the product the aqueous waste, emptied into drains, is only low water-dangerous.

DE/EN

(Contd. on page 7)

Sicherheitsdatenblatt
gemäß 1907/2006/EG, Artikel 31

Printing date 10.05.2023

Version number 4 (replaces version 3)

Revision: 10.05.2023

Trade name: **UO Reiniger Alkalisch**

(Contd. of page 6)

SECTION 13: Disposal considerations

· **13.1 Waste treatment methods**

· **Recommendation**

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

· **European waste catalogue**

06 02 04*	sodium and potassium hydroxide
-----------	--------------------------------

· **Uncleaned packaging:**

· **Recommendation:** Disposal must be made according to official regulations.

· **Recommended cleansing agents:** Water, if necessary together with cleansing agents.

SECTION 14: Transport information

· **14.1 UN number or ID number**

· **ADR, IMDG, IATA** UN1823

· **14.2 UN proper shipping name**

· **ADR** 1823 SODIUM HYDROXIDE, SOLID
· **IMDG, IATA** SODIUM HYDROXIDE, SOLID

· **14.3 Transport hazard class(es)**

· **ADR, IMDG, IATA**



· **Class** 8 Corrosive substances.
· **Label** 8

· **14.4 Packing group**

· **ADR, IMDG, IATA** II

· **14.5 Environmental hazards:**

· **Marine pollutant:** No

· **14.6 Special precautions for user**

Warning: Corrosive substances.

· **Hazard identification number (Kemler code):** 80

· **EMS Number:** F-A,S-B

· **Segregation groups** (SGG18) Alkalis

· **Stowage Category** A

· **Segregation Code** SG35 Stow "separated from" SGG1-acids

· **14.7 Maritime transport in bulk according to IMO instruments**

Not applicable.

· **Transport/Additional information:**

· **ADR**

· **Limited quantities (LQ)** 1 kg

· **Excepted quantities (EQ)** Code: E2

Maximum net quantity per inner packaging: 30 g

Maximum net quantity per outer packaging: 500 g

· **Transport category** 2

· **Tunnel restriction code** E

(Contd. on page 8)

DE/EN

Sicherheitsdatenblatt
gemäß 1907/2006/EG, Artikel 31

Printing date 10.05.2023

Version number 4 (replaces version 3)

Revision: 10.05.2023

Trade name: UO Reiniger Alkalisch

(Contd. of page 7)

- | | |
|-----------------------------------|---|
| · IMDG | |
| · Limited quantities (LQ) | 1 kg |
| · Excepted quantities (EQ) | Code: E2 |
| | Maximum net quantity per inner packaging: 30 g |
| | Maximum net quantity per outer packaging: 500 g |
| · UN "Model Regulation": | UN 1823 SODIUM HYDROXIDE, SOLID, 8, II |

SECTION 15: Regulatory information

- **15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**

- **Directive 2012/18/EU**

- **Named dangerous substances - ANNEX I** None of the ingredients is listed.

- **DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II**

None of the ingredients is listed.

- **REGULATION (EU) 2019/1148**

- **Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))**

None of the ingredients is listed.

- **Annex II - REPORTABLE EXPLOSIVES PRECURSORS**

None of the ingredients is listed.

- **Regulation (EC) No 273/2004 on drug precursors**

None of the ingredients is listed.

- **Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors**

None of the ingredients is listed.

- **National regulations:**

- **Waterhazard class:** Water hazard class 1 (Self-assessment): slightly hazardous for water.

- **15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- **Relevant phrases**

H290 May be corrosive to metals.

H302 Harmful if swallowed.

H314 Causes severe skin burns and eye damage.

H315 Causes skin irritation.

H318 Causes serious eye damage.

- **Version number of previous version: 3**

- **Abbreviations and acronyms:**

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

(Contd. on page 9)

DE/EN

Sicherheitsdatenblatt
gemäß 1907/2006/EG, Artikel 31

Printing date 10.05.2023

Version number 4 (replaces version 3)

Revision: 10.05.2023

Trade name: UO Reiniger Alkalisch

(Contd. of page 8)

PBT: Persistent, Bioaccumulative and Toxic
vPvB: very Persistent and very Bioaccumulative
Met. Corr. 1: Corrosive to metals – Category 1
Acute Tox. 4: Acute toxicity – Category 4
Skin Corr. 1A: Skin corrosion/irritation – Category 1A
Skin Irrit. 2: Skin corrosion/irritation – Category 2
Eye Dam. 1: Serious eye damage/eye irritation – Category 1

DE/EN