

Sicherheitsdatenblatt

gemäß 1907/2006/EG, Artikel 31

Printing date 06.06.2024

Version number 1

Revision: 06.06.2024

SECTION 1: Identification of the substance/mixture and of the company/undertaking

- **1.1 Product identifier**
- **Trade name:** **UO-Reiniger alkalisch F**
- **UFI:** 8631-T0QD-C00S-37XT
- **1.2 Relevant identified uses of the substance or mixture and uses advised against**
No further relevant information available.
- **Application of the substance / the mixture** Cleaning material/ Detergent
- **1.3 Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**
BWT Holding GmbH
Walter-Simmer-Straße 4
A - 5310 Mondsee
AUSTRIA
Tel.: +43/6232/5011-0
Fax: +43/6232/4058
email: office@bwt.at
- **Further information obtainable from:**
Abteilung F&E - Chemikalienbeauftragte(r)
Tel.: +43/6232/5011-1893
+43/6232/5011-1427
email: msds-info@bwt-group.com
- **1.4 Emergency telephone number:**
Poison center Vienna
Tel.: +43/1-406 43 43

SECTION 2: Hazards identification

- **2.1 Classification of the substance or mixture**
- **Classification according to Regulation (EC) No 1272/2008**



GHS05 corrosion

Met. Corr. 1 H290 May be corrosive to metals.
 Skin Corr. 1A H314 Causes severe skin burns and eye damage.
 Eye Dam. 1 H318 Causes serious eye damage.

- **2.2 Label elements**
- **Labelling according to Regulation (EC) No 1272/2008**
The product is classified and labelled according to the CLP regulation.
- **Hazard pictograms**



GHS05

- **Signal word** Danger
- **Hazard-determining components of labelling:**
sodium hydroxide
sodium dodecylbenzenesulphonate, pure
- **Hazard statements**
H290 May be corrosive to metals.
H314 Causes severe skin burns and eye damage.
- **Precautionary statements**
P234 Keep only in original packaging.
P260 Do not breathe dusts or mists.

(Contd. on page 2)

DE/EN

Sicherheitsdatenblatt

gemäß 1907/2006/EG, Artikel 31

Printing date 06.06.2024

Version number 1

Revision: 06.06.2024

Trade name: UO-Reiniger alkalisch F

(Contd. of page 1)

- P280 Wear protective gloves / eye protection / face protection.
- P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].
- P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
- P310 Immediately call a POISON CENTER/doctor.
- P390 Absorb spillage to prevent material damage.
- P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

- **2.3 Other hazards**
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.

SECTION 3: Composition/information on ingredients

- **3.2 Mixtures**
- **Description:** Mixture of substances listed below with nonhazardous additions.

· **Dangerous components:**

CAS: 1310-73-2 EINECS: 215-185-5	sodium hydroxide ⚠ Met. Corr. 1, H290; Skin Corr. 1A, H314 Specific concentration limits: Skin Corr. 1A; H314: $C \geq 5\%$ Skin Corr. 1B; H314: $2\% \leq C < 5\%$ Skin Irrit. 2; H315: $0,5\% \leq C < 2\%$ Eye Irrit. 2; H319: $0,5\% \leq C < 2\%$	$\geq 5 - \leq 10\%$
CAS: 28348-53-0 EINECS: 248-983-7	sodium cumenesulphonate ⚠ Eye Irrit. 2, H319	$\geq 2,5 - < 10\%$
CAS: 25155-30-0 EINECS: 246-680-4	sodium dodecylbenzenesulphonate, pure ⚠ Eye Dam. 1, H318 ⚠ Acute Tox. 4, H302; Skin Irrit. 2, H315	$\geq 2,5 - < 3\%$

- **Additional information:** For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

- **4.1 Description of first aid measures**
- **General information:** Immediately remove any clothing soiled by the product.
- **After inhalation:**
Supply fresh air.
Seek medical treatment in case of complaints.
- **After skin contact:**
Wash off immediately with plenty of water for at least 15 minutes.
Remove soiled, soaked clothing immediately.
Call a doctor immediately.
- **After eye contact:**
Remove any contact lenses if possible.
Rinse opened eye for several minutes under running water.
Call a doctor immediately.
- **After swallowing:**
Rinse mouth with water (only if casualty is conscious).
DO NOT induce vomiting unless directed to do so by a doctor or poison control centre.
Call a doctor immediately.
- **4.2 Most important symptoms and effects, both acute and delayed** No further relevant information available.

(Contd. on page 3)

DE/EN

Sicherheitsdatenblatt
gemäß 1907/2006/EG, Artikel 31

Printing date 06.06.2024

Version number 1

Revision: 06.06.2024

Trade name: UO-Reiniger alkalisch F

(Contd. of page 2)

- **4.3 Indication of any immediate medical attention and special treatment needed**
Treat symptomatically and supportively.

SECTION 5: Firefighting measures

- **5.1 Extinguishing media**
- **Suitable extinguishing agents:** Use fire extinguishing methods suitable to surrounding conditions.
- **5.2 Special hazards arising from the substance or mixture**
Formation of toxic gases is possible during heating or in case of fire.
Carbon oxides
Phosphorus oxide.
Sulphur oxides
- **5.3 Advice for firefighters**
- **Protective equipment:** Mouth respiratory protective device.
- **Additional information**
Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

SECTION 6: Accidental release measures

- **6.1 Personal precautions, protective equipment and emergency procedures**
Ensure adequate ventilation
Avoid contact with eyes and skin.
Wear protective clothing.
Mount respiratory protective device.
Wear protective equipment. Keep unprotected persons away.
- **6.2 Environmental precautions:** Do not allow to enter sewers/ surface or ground water.
- **6.3 Methods and material for containment and cleaning up:**
Ensure adequate ventilation.
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
Rinse away traces with water.
If large quantities are released, contain or otherwise contain the product to prevent run-off into watercourses.
Dispose contaminated material as waste according to section 13.
- **6.4 Reference to other sections**
See Section 7 for information on safe handling.
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.

SECTION 7: Handling and storage

- **7.1 Precautions for safe handling**
Wash hands before breaks and at the end of work.
Do not inhale vapours.
Ensure adequate ventilation.
Do not get in the eyes, in the mouth or on the skin.
Ensure good ventilation/exhaustion at the workplace.
- **Information about fire - and explosion protection:** Keep respiratory protective device available.
- **7.2 Conditions for safe storage, including any incompatibilities**
- **Storage:**
- **Requirements to be met by storerooms and receptacles:**
Keep container tightly closed.
Store only in the original receptacle.
- **Information about storage in one common storage facility:** Do not store together with acids.
- **Further information about storage conditions:**
Storage temperature: 10 to 40 °C

(Contd. on page 4)

DE/EN

Sicherheitsdatenblatt

gemäß 1907/2006/EG, Artikel 31

Printing date 06.06.2024

Version number 1

Revision: 06.06.2024

Trade name: UO-Reiniger alkalisch F

(Contd. of page 3)

Keep container tightly sealed.

· **Storage class:** 8 B

· **7.3 Specific end use(s)** No further relevant information available.

SECTION 8: Exposure controls/personal protection

· **8.1 Control parameters**

· **Ingredients with limit values that require monitoring at the workplace:**

CAS: 1310-73-2 sodium hydroxide

MAK (Germany) vgl. Abschn. IIb

· **DNELs**

CAS: 1310-73-2 sodium hydroxide

Inhalative	DNEL inhalativ	1 mg/m ³ (general population) Mögliche Gesundheitsschäden: Langzeit - lokale Effekte
		1 mg/m ³ (worker) Mögliche Gesundheitsschäden: Langzeit - lokale Effekte

· **Additional information:** The lists valid during the making were used as basis.

· **8.2 Exposure controls**

· **Appropriate engineering controls** No further data; see section 7.

· **Individual protection measures, such as personal protective equipment**

· **General protective and hygienic measures:**

The usual precautionary measures are to be adhered to when handling chemicals.

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

· **Respiratory protection:** Not required if the concentrations in the air are below the exposure limit values.

· **Hand protection**



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· **Material of gloves**

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

Nitrile rubber, NBR

Butyl rubber, BR

· **Penetration time of glove material**

Breakthrough time: 1-4 hours

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

(Contd. on page 5)

DE/EN

Sicherheitsdatenblatt

gemäß 1907/2006/EG, Artikel 31

Printing date 06.06.2024

Version number 1

Revision: 06.06.2024

Trade name: UO-Reiniger alkalisch F

(Contd. of page 4)

· Eye/face protection



Tightly sealed goggles

SECTION 9: Physical and chemical properties

· 9.1 Information on basic physical and chemical properties

· General Information

· Physical state	Fluid
· Colour:	Light brown
· Odour:	Light
· Odour threshold:	Not determined.
· Melting point/freezing point:	Undetermined.
· Boiling point or initial boiling point and boiling range	Undetermined.
· Flammability	Not applicable.
· Lower and upper explosion limit	
· Lower:	Not determined.
· Upper:	Not determined.
· Flash point:	Not applicable.
· Decomposition temperature:	Not determined.
· pH at 20 °C	13,4-13,8
· Viscosity:	
· Kinematic viscosity	Not determined.
· Dynamic:	Not determined.
· Solubility	
· water:	Fully miscible.
· Partition coefficient n-octanol/water (log value)	Not determined.
· Vapour pressure at 20 °C:	23 hPa (CAS: 7732-18-5 water, distilled, conductivity or of similar purity)
· Density and/or relative density	
· Density at 20 °C:	1,12-1,16 g/cm ³
· Relative density	Not determined.
· Vapour density	Not determined.

· 9.2 Other information

· Appearance:	
· Form:	Fluid
· Important information on protection of health and environment, and on safety.	
· Ignition temperature:	Product is not selfigniting.
· Explosive properties:	Product does not present an explosion hazard.
· Solvent content:	
· Water:	82,0 %
· VOC (EC)	0,00 %
· Change in condition	
· Evaporation rate	Not determined.

· Information with regard to physical hazard classes

· Explosives	Void
· Flammable gases	Void
· Aerosols	Void
· Oxidising gases	Void
· Gases under pressure	Void
· Flammable liquids	Void

(Contd. on page 6)

DE/EN

Sicherheitsdatenblatt
gemäß 1907/2006/EG, Artikel 31

Printing date 06.06.2024

Version number 1

Revision: 06.06.2024

Trade name: UO-Reiniger alkalisch F

(Contd. of page 5)

· Flammable solids	Void
· Self-reactive substances and mixtures	Void
· Pyrophoric liquids	Void
· Pyrophoric solids	Void
· Self-heating substances and mixtures	Void
· Substances and mixtures, which emit flammable gases in contact with water	Void
· Oxidising liquids	Void
· Oxidising solids	Void
· Organic peroxides	Void
· Corrosive to metals	May be corrosive to metals.
· Desensitised explosives	Void

SECTION 10: Stability and reactivity

- **10.1 Reactivity** No decomposition if stored and used as directed.
- **10.2 Chemical stability** The product is stable under normal storage conditions.
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **10.3 Possibility of hazardous reactions** No dangerous reactions known.
- **10.4 Conditions to avoid** No further relevant information available.
- **10.5 Incompatible materials:**
 - Acids
 - Metals
 - Steel
 - Aluminium
- **10.6 Hazardous decomposition products:**
 - Depending on the circumstances of the incineration, the decomposition products may contain the following materials:
 - Sulphur dioxide
 - Carbon monoxide and carbon dioxide

SECTION 11: Toxicological information

- **11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008**
- **Acute toxicity** Based on available data, the classification criteria are not met.

· **LD/LC50 values relevant for classification:**

Oral	LD50	>2.000 mg/kg (rat)
------	------	--------------------

CAS: 1310-73-2 sodium hydroxide

Oral	LD50	2.000 mg/kg (rat)
------	------	-------------------

CAS: 28348-53-0 sodium cumenesulphonate

Oral	LD50	7.000 mg/kg (rat)
Dermal	LD50	>2.000 mg/kg (rabbit)
Inhalative	LC50/4 h	>770 mg/l /4h (rat)

CAS: 25155-30-0 sodium dodecylbenzenesulphonate, pure

Oral	LD50	1.086 mg/kg (rat)
------	------	-------------------

- **Skin corrosion/irritation** Causes severe skin burns and eye damage.
- **Serious eye damage/irritation** Causes serious eye damage.
- **Respiratory or skin sensitisation** Based on available data, the classification criteria are not met.
- **Germ cell mutagenicity** Based on available data, the classification criteria are not met.
- **Carcinogenicity** Based on available data, the classification criteria are not met.
- **Reproductive toxicity** Based on available data, the classification criteria are not met.
- **STOT-single exposure** Based on available data, the classification criteria are not met.

(Contd. on page 7)

DE/EN

Sicherheitsdatenblatt
gemäß 1907/2006/EG, Artikel 31

Printing date 06.06.2024

Version number 1

Revision: 06.06.2024

Trade name: UO-Reiniger alkalisch F

(Contd. of page 6)

- **STOT-repeated exposure** Based on available data, the classification criteria are not met.
- **Aspiration hazard** Based on available data, the classification criteria are not met.
- **11.2 Information on other hazards**

· **Endocrine disrupting properties**

None of the ingredients is listed.

SECTION 12: Ecological information

· 12.1 Toxicity

· **Aquatic toxicity:**

CAS: 1310-73-2 sodium hydroxide

LC50 / 48h 133-189 mg/l (fish)

EC50 >100 mg/L (daphnia)

LC50/96h 99 mg/l (fish)

CAS: 28348-53-0 sodium cumenesulphonate

LC50/96h >450 mg/l (fish)

CAS: 25155-30-0 sodium dodecylbenzenesulphonate, pure

LC50/96h 3,2 mg/l (fish)

· **12.2 Persistence and degradability** The contained surfactants are biodegradable

· **12.3 Bioaccumulative potential** No further relevant information available.

· **12.4 Mobility in soil** No further relevant information available.

· **12.5 Results of PBT and vPvB assessment**

· **PBT:** Not applicable.

· **vPvB:** Not applicable.

· **12.6 Endocrine disrupting properties**

The product does not contain substances with endocrine disrupting properties.

· **12.7 Other adverse effects**

· **Additional ecological information:**

· **General notes:**

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

Must not reach sewage water or drainage ditch undiluted or unneutralised.

Rinse off of bigger amounts into drains or the aquatic environment may lead to increased pH-values. A high pH-value harms aquatic organisms. In the dilution of the use-level the pH-value is considerably reduced, so that after the use of the product the aqueous waste, emptied into drains, is only low water-dangerous.

SECTION 13: Disposal considerations

· **13.1 Waste treatment methods**

· **Recommendation**

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

· **European waste catalogue**

07 06 01* aqueous washing liquids and mother liquors

HP8 Corrosive

· **Uncleaned packaging:**

· **Recommendation:**

Contaminated packaging must be treated in the same way as the substance.

(Contd. on page 8)

DE/EN

Sicherheitsdatenblatt
gemäß 1907/2006/EG, Artikel 31

Printing date 06.06.2024

Version number 1


Revision: 06.06.2024

Trade name: UO-Reiniger alkalisch F

(Contd. of page 7)

Disposal must be made according to official regulations.

SECTION 14: Transport information

· 14.1 UN number or ID number	UN1824
· ADR, IMDG, IATA	
· 14.2 UN proper shipping name	1824 SODIUM HYDROXIDE SOLUTION
· ADR	SODIUM HYDROXIDE SOLUTION
· IMDG, IATA	
· 14.3 Transport hazard class(es)	
· ADR, IMDG, IATA	
	
· Class	8 Corrosive substances.
· Label	8
· 14.4 Packing group	
· ADR, IMDG, IATA	II
· 14.5 Environmental hazards:	Not applicable.
· 14.6 Special precautions for user	Warning: Corrosive substances.
· Hazard identification number (Kemler code):	80
· EMS Number:	F-A,S-B
· Segregation groups	(SGG18) Alkalis
· Stowage Category	A
· Segregation Code	SG35 Stow "separated from" SGG1-acids
· 14.7 Maritime transport in bulk according to IMO instruments	Not applicable.
· Transport/Additional information:	
· ADR	
· Limited quantities (LQ)	1L
· Excepted quantities (EQ)	Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml
· Transport category	2
· Tunnel restriction code	E
· IMDG	
· Limited quantities (LQ)	1L
· Excepted quantities (EQ)	Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml
· UN "Model Regulation":	UN 1824 SODIUM HYDROXIDE SOLUTION, 8, II

SECTION 15: Regulatory information

- 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- Labelling according to Regulation (EC) No 1272/2008
The product is classified and labelled according to the CLP regulation.

(Contd. on page 9)

DE/EN

Sicherheitsdatenblatt

gemäß 1907/2006/EG, Artikel 31

Printing date 06.06.2024

Version number 1

Revision: 06.06.2024

Trade name: UO-Reiniger alkalisch F

(Contd. of page 8)

· Hazard pictograms



GHS05

· Signal word Danger

· Hazard-determining components of labelling:

sodium hydroxide

sodium dodecylbenzenesulphonate, pure

· Hazard statements

H290 May be corrosive to metals.

H314 Causes severe skin burns and eye damage.

· Precautionary statements

P234 Keep only in original packaging.

P260 Do not breathe dusts or mists.

P280 Wear protective gloves / eye protection / face protection.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER/doctor.

P390 Absorb spillage to prevent material damage.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

· Directive 2012/18/EU

· **Named dangerous substances - ANNEX I** None of the ingredients is listed.· **REGULATION (EC) No 1907/2006 ANNEX XVII** Conditions of restriction: 3

· DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II

None of the ingredients is listed.

· **REGULATION (EU) 2019/1148**

· Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))

None of the ingredients is listed.

· **Annex II - REPORTABLE EXPLOSIVES PRECURSORS**

None of the ingredients is listed.

· **Regulation (EC) No 273/2004 on drug precursors**

None of the ingredients is listed.

· Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors

None of the ingredients is listed.

· National regulations:

· **Waterhazard class:** Water hazard class 1 (Self-assessment): slightly hazardous for water.· **15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

(Contd. on page 10)

DE/EN

Sicherheitsdatenblatt
gemäß 1907/2006/EG, Artikel 31

Printing date 06.06.2024

Version number 1

Revision: 06.06.2024

Trade name: UO-Reiniger alkalisch F

(Contd. of page 9)

· **Relevant phrases**

H290 May be corrosive to metals.

H302 Harmful if swallowed.

H314 Causes severe skin burns and eye damage.

H315 Causes skin irritation.

H318 Causes serious eye damage.

H319 Causes serious eye irritation.

· **Abbreviations and acronyms:**

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

VOC: Volatile Organic Compounds (USA, EU)

DNEL: Derived No-Effect Level (REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

Met. Corr. 1: Corrosive to metals – Category 1

Acute Tox. 4: Acute toxicity – Category 4

Skin Corr. 1A: Skin corrosion/irritation – Category 1A

Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Dam. 1: Serious eye damage/eye irritation – Category 1

Eye Irrit. 2: Serious eye damage/eye irritation – Category 2

DE/EN