



## MYAQUA MINERALIZER

## FILTER SOLUTION FOR YOUR TAP WATER

- Perfectly filtered drinking water directly from the kitchen tap for your daily use.
- The filter reduces the chlorine content in the water. Therefore the water tastes better.
- The filter reduces heavy metals such as copper, lead and nickel.
- Suitable for original BWT MyAQUA and AQA drink filter heads.

## THE MULTIPLE WATER FILTRATION PROCESS

- 1. Primary Filtration filters particles, e. g. sand or rust.
- 2. Ion exchanger releases the valuable mineral magnesium to the water and reduces heavy metals like copper, lead and nickel.
- **3. Activated-carbon Filtration** reduces substances impairing taste and smell, such as chlorine and organic impurities.



## TECHNICAL DATA

MYAQUA MINERALIZER			
Article Number			125558004
Filter capacity <sup>1</sup>			800 @ 14 °dGH
FILTER CAPACITIES <sup>1</sup> (in Liter)			
Soft	< 8 °dGH		1400
Medium	8 - 14 °dGH		800
Hard	15 bis 21 °dGH	I	550
Very Hard	> 21 °dGH	I	350
EQUIPMENT			
MyAQUA Filter Head <sup>2</sup>			Ø 3/8" x 3/8" (male thread)
OPERATING CONDITIONS			
Working Pressure Range		bar	2-7
Intake Water Pressure		bar	>1,2
Water Temperature (min. – max.)		°C	+4 to +30
Ambient Temperature (min max.)		°C	+4 to +40
Ambient Temperature Storage/Transportation (min max.)		°C	-20 to +40
Nominal Flow		l/h	180
Operating Position			vertical
DIMENSION & WEIGHTS			
Height with wall mounting bracket		mm	420
Height without wall mounting bracket		mm	385
Height to center to connection		mm	341
Ø Filter cartridge		mm	89
approx. Filter cartridge weight		kg	0,9

<sup>1</sup> The indicated filter capacity is valid for standardised lab conditions. In operation the capacity can vary due to different parameters. Replace the filter cartridge when capacity is exhausted, the flow rate noticeably decreases and at least every 6 months. °dGH = German total hardness

<sup>2</sup> With backflow preventer and Aquastop for a simple filter change without water discharge.